


Eiffel Wall

Designed by Krøyer Sætter Lassen



FRAMA

Eiffel Assembly Guide

Contents:

In this box you will find:

- 2 led tube bulbs
- 1 wall mounted Eiffel frame,
with plated brass end details,
black silicon wire, eu plug
- 2 steel screws

Assembly:


Start by unpacking the Eiffel Frame. After locating the desired wall placement of the Eiffel lamp, locate fastening holes on the back plate of the Eiffel lamp.

Secondly, screw the top hole of the backplate into the wall. While holding fixture steady, straighten the Eiffel fixture and screw in the bottom hole of the back plate until the piece is secure.

Mount each LED tube bulb within the side sockets, from a 90° angle at the same time Never attempt to mount sockets one at a time. This may result in high risk of LED tubes breaking.


After all parts are secure and mounted, plug in the Eiffel lamp. Should you like to dim the light, simply turn the brass cap on the lower end of the piece to achieve desired light.

Contents:



Assembly:

Mount each LED tube bulb within the side sockets, from a 90° angle at the same time
Never attempt to mount sockets one at a time. This may result in high risk of LED tubes breaking.



To dim light fixture,
turn brass cap on
the base to achieve
desired light

Eiffel Maintenance Guide

Waxing Untreated Metal:

Should you want to add an additional protective layer to eiffel, follow the below instructions on waxing metal. Note this should not be applied to brass ends of the product. Take care when applying wax to avoid the inner socket areas.

Since wax is only a coating and doesn't actually bind with metals, it must be periodically reapplied. As long as the piece is indoors, the wax will typically last at least a few years.

1. Use mineral spirits to clean the steel before application.
2. Using warm, clear wax, rub a thin layer over the metal with a soft cloth.
3. Using a clean cloth, buff out all of this dull wax with circular motions.
4. When the wax has been sufficiently buffed, the dullness will be gone, replaced with a slight shine. The finished wax should feel smooth and slippery to the touch.

Eiffel Wall 1000

Dimensions : H 1000 W131 D70

Eiffel Wall 500

Dimensions : H 500 W131 D70

Materials : Black steel frame, plated brass end details, 16.5 W
led tube bulb, black silicon wire, eu plug

CE Designed in Denmark | Produced in PRC

Eiffel Wall 1000

Item No. 2101



Eiffel Wall 500

Item No. 2104



FRAMA

Org. St. Pauls Apotek - Fredericiagade 57 - Copenhagen