



KTribe Table 2

Designed by Philippe Starck, 2007



Halogen - 150W

Table luminaire providing diffused lighting. Base, rod support and diffuser support in diecast, polished and chrome-plated Zamak alloy. Base cover in black injectionmolded PA (Nylon). Injection-molded PC (polycarbonate) opal inner diffuser. Outer diffusers in transparent or fumèe PMMA (polymethylmethacrylate), and silver or bronze on the inner surface, by vacuum aluminum coating. Injection-molded PC (polycarbonate) upper ring, completely transparent or transparent diffuser and silver diffuser) or transparent brown for the outer bronze diffuser.

Are you a professional and your project needs consulting and support?

BOOK AN APPOINTMENT



Main specifications

Mounting	Table
Environments	Indoor dry location
Light Source Type	Bulb
Lamp category	Halogen
Lamp holders	E27
Ilcos	HSGS
Number of heads	1
Power (W)	150

Physical

Colour	Transparent
Length (mm)	395
Cord length (mm)	1640
Net weight (kg)	4.5
Package height (mm)	0
Package width (mm)	0
Package length (mm)	0
Package volume (m3)	0.18
IP internal	20



Mounting instructions	<u></u> ₽DF
Spare Parts	业 PDF

Photometric Files

LDT / IES



Technical Drawings

2D	<u>↓</u> ZIP
3D	⊥ ZIP



















https://professional.flos.com/en/global/product/ktribe-table-2-f6303000/

F6303000

Schematic light drawing




Photometric

Lighting type	Indirect, Direct
Light distribution	Symmetric

Electrical

Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
LED voltage Vf (Vdc)	null
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No





NOT INCLUDED

NOT INCLUDED


RF32288

RF32289

LED Lamp E27 15W 2700K T38

LED Lamp E27 15W 3000K T38

Spare Parts



01. Ktribe Floor/Table 2 fumée F6278000 diffuser assembly

02. Dimmer 4-25W 220-240V Black RF32262

DOWNLOAD





F6278000 Ktribe Floor/Table 2 fumée diffuser assembly

RF32262

Dimmer 4-25W 220-240V Black